# **Author index to Volume 52**

Aanstoot, H-J. see Sas, T.

Abe, Y., Ejima, E., Fujiyama, K, Kiriyama, T., Ide, A., Sera, N., Tominaga, T., Ashizawa, K, Yokoyama, N. & Eguchi, K. Parathyroidectomy for primary hyperparathyroidism induces positive uncoupling and increases bone mineral density in cancellous bones 203

Abushoufa, R.A., Talbot, J.A., Brownbill, K., Rafferty, B., Kane, J.W. & Robertson, W.R. The development of a sialic acid specific lectin-immunoassay for the measurement of human chorionic gonadotrophin glycoforms in serum and its application in normal and Down's syndrome pregnancies 499

Adams, J.E. see Howell, S.J.

Adan, L. see Bussieres, L.

Ahrén, B. see Erfurth, E.M.

Aimaretti, G., Bellone, S., Bellone, J., Chiabotto, P., Baffoni, C., Corneli, G., Origlia, C., De Sanctis, C., Camanni, F. & Ghigo, E. Reduction of the pituitary GH releasable pool in short children with GH neurosecretory dysfunction 287

Alexandre, C. see Caillot-Augusseau, A.

Allolio, B. see Beuschlein, F.

Al-Shoumer, K.A.S. see Kousta, E.

Amin, R. see Ong, K.K.L.

Angeletti, G. see Lucidi, P.

Antonini, S.R.R., Jorge, S.M. & Moreira, A.C. The emergence of salivary cortisol circadian rhythm and its relationship to sleep activity in preterm infants 423

Anyaoku, V. see Kousta, E.

Aoki, N. see Hai, N.

Aquilonius, A. see Röjdmark, S.

Arita, N. see Kasayama, S.

Arlt, W. see Beuschlein, F.

Arnhold, I.J.P. see Bachega, T.A.S.S.

Arnhold, I.J.P. see Marui, S.

Arvat, E. see Gianotti, L.

Asarfi, A. see Sas, T.C.J.

Ashizawa, K see Abe, Y.

Assumpçao, L. see Ramos, C.D.

Atiomo, W.U., Fox, R., Condon, J.E., Shaw, S., Friend, J., Prentice, A.G. & Wilkin, T.J. Raised plasminogen activator inhibitor-1 (PAI-1) is not an independent risk factor in the polycystic ovary syndrome (PCOS) 487

Atkin, S.L. see Leong, K.S.

Atkinson, A.B. New causes of Cushing's syndrome: abnormal adrenal regulation of cortisol production 137 Bachega, T.A.S.S., Billerbeck, A.E.C., Marcondes, J.A.M., Madureira, G., Arnhold, I.J.P. & Mendonca, B.B. Influence of different genotypes on 17hydroxyprogesterone levels in patients with nonclassical congenital adrenal hyperplasia due to 21hydroxylase deficiency 601

Badenhoop, K. CTLA4 variants in type 1 diabetes: some stirrups serve better backing endocrine autoimmunity 139

Baffoni, C. see Aimaretti, G.

Bailey, D. see Tremble, J.M.

Baker, A.J. see Holt, R.I.G.

Bakker, O. see Gerding, M.N.

Ball, S.G. & Hanley, N.A. Genes, mice and the internet: is WT1 the shape of things to come? 399

Barbarino, A. see Satta, M.A.

Barbesino, G. see Bartalena, L.

Barnett, A.H. see Ng, M.C.Y.

Barrère, X., Valeix, P., Preziosi, P., Bensimon, M., Pelletier, B., Galan, P. & Hercberg, S. Determinants of thyroid volume in healthy French adults participating in the SU.VI.MAX cohort 273

Bartalena, L. see Bogazzi, F.

Bartalena, L., Manetti, L., Tanda, M.L., Dell'unto, E., Mazzi, B., Rocchi, R., Barbesino, G., Pinchera, A. & Marcocci, C. Soluble interleukin-1 receptor antagonist concentration in patients with Graves' ophthalmopathy is neither related to cigarette smoking nor predictive of subsequent response to glucocorticoids 647

Barth, J.H. see Westwood, M.E.

Barton, R.N. see O'connell, I.P.M.

Beamer, B.A. see Globerman, H.

Bednarczuk, T. see Kamizono, S.

Beentjes, J.A.M., Van Gorkom, B.A.P., Sluiter, W.J., De Vries, E.G.E., Kleibeuker, J.H. & Dullaart, R.P.F. One year growth hormone replacement therapy does not alter colonic epithelial cell proliferation in growth hormone deficient adults 457

Beil, F.U. see Petersenn, S.T.

Bellone, J. see Aimaretti, G.

Bellone, S. see Aimaretti, G.

Bensimon, M. see Barrère, X.

Beretta, E. see Corbetta, S.

Berne, C. see Gebre-Medhin, G.

Berrettini, S. see Bogazzi, F.

Besser, G.M. see Johnston, L.B.

Beuschlein, F., Borgemeister, M., Schirra, J., Göke, B.,

# **Author index to Volume 52**

Aanstoot, H-J. see Sas, T.

Abe, Y., Ejima, E., Fujiyama, K, Kiriyama, T., Ide, A., Sera, N., Tominaga, T., Ashizawa, K, Yokoyama, N. & Eguchi, K. Parathyroidectomy for primary hyperparathyroidism induces positive uncoupling and increases bone mineral density in cancellous bones 203

Abushoufa, R.A., Talbot, J.A., Brownbill, K., Rafferty, B., Kane, J.W. & Robertson, W.R. The development of a sialic acid specific lectin-immunoassay for the measurement of human chorionic gonadotrophin glycoforms in serum and its application in normal and Down's syndrome pregnancies 499

Adams, J.E. see Howell, S.J.

Adan, L. see Bussieres, L.

Ahrén, B. see Erfurth, E.M.

Aimaretti, G., Bellone, S., Bellone, J., Chiabotto, P., Baffoni, C., Corneli, G., Origlia, C., De Sanctis, C., Camanni, F. & Ghigo, E. Reduction of the pituitary GH releasable pool in short children with GH neurosecretory dysfunction 287

Alexandre, C. see Caillot-Augusseau, A.

Allolio, B. see Beuschlein, F.

Al-Shoumer, K.A.S. see Kousta, E.

Amin, R. see Ong, K.K.L.

Angeletti, G. see Lucidi, P.

Antonini, S.R.R., Jorge, S.M. & Moreira, A.C. The emergence of salivary cortisol circadian rhythm and its relationship to sleep activity in preterm infants 423

Anyaoku, V. see Kousta, E.

Aoki, N. see Hai, N.

Aquilonius, A. see Röjdmark, S.

Arita, N. see Kasayama, S.

Arlt, W. see Beuschlein, F.

Arnhold, I.J.P. see Bachega, T.A.S.S.

Arnhold, I.J.P. see Marui, S.

Arvat, E. see Gianotti, L.

Asarfi, A. see Sas, T.C.J.

Ashizawa, K see Abe, Y.

Assumpçao, L. see Ramos, C.D.

Atiomo, W.U., Fox, R., Condon, J.E., Shaw, S., Friend, J., Prentice, A.G. & Wilkin, T.J. Raised plasminogen activator inhibitor-1 (PAI-1) is not an independent risk factor in the polycystic ovary syndrome (PCOS) 487

Atkin, S.L. see Leong, K.S.

Atkinson, A.B. New causes of Cushing's syndrome: abnormal adrenal regulation of cortisol production 137 Bachega, T.A.S.S., Billerbeck, A.E.C., Marcondes, J.A.M., Madureira, G., Arnhold, I.J.P. & Mendonca, B.B. Influence of different genotypes on 17hydroxyprogesterone levels in patients with nonclassical congenital adrenal hyperplasia due to 21hydroxylase deficiency 601

Badenhoop, K. CTLA4 variants in type 1 diabetes: some stirrups serve better backing endocrine autoimmunity 139

Baffoni, C. see Aimaretti, G.

Bailey, D. see Tremble, J.M.

Baker, A.J. see Holt, R.I.G.

Bakker, O. see Gerding, M.N.

Ball, S.G. & Hanley, N.A. Genes, mice and the internet: is WT1 the shape of things to come? 399

Barbarino, A. see Satta, M.A.

Barbesino, G. see Bartalena, L.

Barnett, A.H. see Ng, M.C.Y.

Barrère, X., Valeix, P., Preziosi, P., Bensimon, M., Pelletier, B., Galan, P. & Hercberg, S. Determinants of thyroid volume in healthy French adults participating in the SU.VI.MAX cohort 273

Bartalena, L. see Bogazzi, F.

Bartalena, L., Manetti, L., Tanda, M.L., Dell'unto, E., Mazzi, B., Rocchi, R., Barbesino, G., Pinchera, A. & Marcocci, C. Soluble interleukin-1 receptor antagonist concentration in patients with Graves' ophthalmopathy is neither related to cigarette smoking nor predictive of subsequent response to glucocorticoids 647

Barth, J.H. see Westwood, M.E.

Barton, R.N. see O'connell, I.P.M.

Beamer, B.A. see Globerman, H.

Bednarczuk, T. see Kamizono, S.

Beentjes, J.A.M., Van Gorkom, B.A.P., Sluiter, W.J., De Vries, E.G.E., Kleibeuker, J.H. & Dullaart, R.P.F. One year growth hormone replacement therapy does not alter colonic epithelial cell proliferation in growth hormone deficient adults 457

Beil, F.U. see Petersenn, S.T.

Bellone, J. see Aimaretti, G.

Bellone, S. see Aimaretti, G.

Bensimon, M. see Barrère, X.

Beretta, E. see Corbetta, S.

Berne, C. see Gebre-Medhin, G.

Berrettini, S. see Bogazzi, F.

Besser, G.M. see Johnston, L.B.

Beuschlein, F., Borgemeister, M., Schirra, J., Göke, B.,

Fassnacht, M., Arlt, W., Allolio, B. & Reincke, M. Oral glucose tolerance testing but not intravenous glucose administration uncovers hyper-responsiveness of hypothalamo-pituitary-adrenal axis in patients with adrenal incidentalomas 617

Bianchi, A. see De Marinis, L.

Billerbeck, A.E.C. see Bachega, T.A.S.S.

Birkenhäger, J.C. see Colin, E.M.

Bjarnason, N.H., Haarbo, J., Byrjalsen, I., Kauffman, R.F., Knadler, M.P. & Christiansen, C. Raloxifene reduces atherosclerosis: studies of optimized raloxifene doses in ovariectomized, cholesterol-fed rabbits 225

Bogazzi, F., Raggi, F., Ultimieri, F., Campomori, A., Cosci, C., Berrettini, S., Neri, E., La Rocca, R., Ronca, G., Martino, E. & Bartalena, L. A novel mutation in the pendrin gene associated with Pendred's syndrome 279

Borgato, S. see Corbetta, S.

Borgemeister, M. see Beuschlein, F.

Børglum, J. see Nørrelund, H.

Bouchard, P. see Christin-Maitre, S.

Brada, M. see Jalali, R.

Brauner, R. see Bussieres, L.

Brismar, K. see Röjdmark, S.

Broenink, M. see Gerding, M.N.

Brook, C.G.D. see Koziell, A.

Brook, C.G.D. see Nathwani, N.C.

Brook, C.G.D. see Nathwani, N.C.

Brown, E.M. see Haden, S.T.

Brownbill, K. see Abushoufa, R.A.

Brunetti, P. see Gambelunghe, G.

Burchell, L. see Jalali, R.

Busciantella-Ricci, N. see Lucidi, P.

Bussieres, L., Souberbielle, J.-C., Pinto, G., Adan, L., Noel, M. & Brauner, R. The use of insulin-like growth factor 1 reference values for the diagnosis of growth hormone deficiency in prepubertal children 735

Butler, G.E. see Westwood, M.E.

Buurman, C.J. see Colin, E.M.

Buxton-Thomas, M. see Tremble, J.M.

Byrjalsen, I. see Bjarnason, N.H.

Caillot-Augusseau, A., Lafage-Proust, M.H., Margaillan, P., Vergely, N., Faure, S., Paillet, S., Lang, F., Alexandre, C. & Estour, B. Weight gain reverses bone turnover and restores circadian variation of bone resorption in anorexic patients 111

Calzoni, F. see Pasquali, R.

Camacho-Hubner, C. see Jenkins, R.C.

Camacho-Hubner, C. see Johnston, L.B.

Camanni, F. see Aimaretti, G.

Camargo, E.E. see Ramos, C.D.

Campomori, A. see Bogazzi, F.

Canto, P. see Vilchis, F.

Casamitjana, R. see Fernandez-Real, J.-M.

Casamitjana, R. see Fernández-Real, J.M.

Castro, M. see Marui, S.

Cerbone, G. see Colao, A.

Cerbone, G. see Colao, A.

Ceroni, L. see Pasquali, R.

Chabbert-Buffet, N. see Christin-Maitre, S.

Chailurkit, L. see Ongphiphadhanakul, B.

Chan, J.C.N. see Ng, M.C.Y.

Chang, J-G. see Lee, Y-J.

Chang, T.-J., Lei, H.-H., Yeh, J.-I., Chiu, K.C., Lee, K.-C., Chen, M.-C., Tai, T.Y. & Chuang, L.-M. Vitamin D receptor gene polymorphisms influence susceptibility to type 1 diabetes mellitus in the Taiwanese population 575

Chanprasertyothin, S. see Ongphiphadhanakul, B.

Chansirikarn, S. see Ongphiphadhanakul, B.

Charbonnel, B. see Christin-Maitre, S.

Charmandari, E. see Koziell, A.

Chávez, B. see Vilchis, F.

Chen, M.-C. see Chang, T.-J.

Chew, S.L. see Johnston, L.B.

Chiabotto, P. see Aimaretti, G.

Chiu, K.C. see Chang, T.-J.

Chow, C.C. see Ng, M.C.Y.

Chrisoulidou, A. see Kousta, E.

Christensen, L.E. see Long, T.D.

Christiansen, C. see Bjarnason, N.H.

Christiansen, J.S. see Møller, J.

Christiansen, J.S. see Nørrelund, H.

Christiansen, J.S. see Skjærbæk, C.

Christin-Maitre, S., Olivennes, F., Dubourdieu, S., Chabbert-Buffet, N., Charbonnel, B., Frydman, R. & Bouchard, P. Effect of gonadotropin-releasing hormone (GnRH) antagonist during the LH surge in normal women and during controlled ovarian hyperstimulation 721

Chuang, L.-M. see Chang, T.-J.

Chung, Y.E. see Koh, J.-M.

Chusney, G.D. see Pickup, J.C.

Cina, G. see Satta, M.A.

Clark, A.J.L. see Johnston, L.B.

Clayton, R.N. see Walker, B.R.

Cockram, C.S. see Ng, M.C.Y.

Colao, A., Cuocolo, A., Di Somma, C., Cerbone, G., Della Morte, A.M., Pivonello, R., Nicolai, E., Salvatore, M. & Lombardi, G. Does the age of onset of growth hormone deficiency affect cardiac performance? A radionuclide angiography study 447

Colao, A., Di Somma, C., Loche, S., Di Sarno, A., Klain,

<sup>© 2000</sup> Blackwell Science Ltd, Clinical Endocrinology, 52, 804-813

M., Pivonello, R., Pietrosante, M., Salvatore, M. & Lombardi, G. Prolactinomas in adolescents: persistent bone loss after 2 years of prolactin normalization 319

Colao, A., Ferone, D., Lastoria, S., Cerbone, G., Di Sarno, A., Di Somma, C., Lucci, R. & Lombardi, G. Hormone levels and tumour size response to quinagolide and cabergoline in patients with prolactin-secreting and clinically non-functioning pituitary adenomas: predictive value of pituitary scintigraphy with <sup>123</sup>Imethoxybenzamide 437

Colasanti, S. see Satta, M.A.

Colin, E.M., Weel, A.E.A.M., Uitterlinden, A.G., Buurman, C.J., Birkenhäger, J.C., Pols, H.A.P. & Van Leeuwen, J.P.T.M. Consequences of vitamin D receptor gene polymorphisms for growth inhibition of cultured human peripheral blood mononuclear cells by 1,25dihydroxyvitamin D<sub>3</sub> 211

Colman, P.G. see Michelangeli, V.P.

Condon, J.E. see Atiomo, W.U.

Conn, J.J., Jacobs, H.S. & Conway, G.S. The prevalence of polycystic ovaries in women with type 2 diabetes mellitus 79

Conway, G.S. see Conn, J.J.

Corbetta, S., Mantovani, G., Lania, A., Borgato, S., Vicentini, L., Beretta, E., Faglia, G., Di Blasio, A.M. & Spada, A. Calcium-sensing receptor expression and signalling in human parathyroid adenomas and primary hyperplasia 339

Corneli, G. see Aimaretti, G.

Corsello, S.M. see Satta, M.A.

Cortelli, P. see Pasquali, R.

Cosci, C. see Bogazzi, F.

Critchley, J.A.J.H. see Ng, M.C.Y.

Croughs, R.J.M., Zelissen, P.M.J., Van Vroonhoven, T.J.M.V., Hofland, L.J., N'diaye, N., Lacroix, A. & De Herder, W.W. GIP-dependent adrenal Cushing's syndrome with incomplete suppression of ACTH 235

Crowley, T. see Levy, A. Cuocolo, A. see Colao, A.

Daga, G.A. see Gianotti, L.

Davies, J.S., Obuobie, K., Smith, J., Rees, D.A., Furlong, A., Davies, N., Evans, L.M. & Scanlon, M.F. A therapeutic trial of growth hormone in hypopituitary adults and its influence upon continued prescription by general practitioners 295

Davies, N. see Davies, J.S.

Davis, A. see Myers, S.E.

De Bacco, C. see Gianotti, L.

De Feo, P. see Lucidi, P.

De Herder, W.W. see Croughs, R.J.M.

De Marinis, L., Mancini, A., Izzi, D., Bianchi, A., Giampietro, A., Fusco, A., Liberale, I., Rossi, S. & Valle, D. Inhibitory action on GHRH-induced GH secretion of chronic tamoxifen treatment in breast cancer 681

De Muinck Keizer-Schrama, S. see Sas, T.

De Muinck Keizer-Schrama, S.M. see Sas, T.C.J.

De Nicolao, G. see Sartorio, A.

De Sanctis, C. see Aimaretti, G.

De Vries, E.G.E. see Beentjes, J.A.M.

Degroot, L.J. see Zhang, R.

Del Rio, G. see Pasquali, R.

Dell'unto, E. see Bartalena, L.

Della Casa, S. see Satta, M.A.

Della Morte, A.M. see Colao, A.

Di Blasio, A.M. see Corbetta, S.

Di Sarno, A. see Colao, A.

Di Sarno, A. see Colao, A.

Di Somma, C. see Colao, A.

Di Somma, C. see Colao, A.

Di Somma, C. see Colao, A.

Doi, S.A.R. & Woodhouse, N.J.Y. Ablation of the thyroid remnant and <sup>131</sup>I dose in differentiated thyroid cancer 765

Donnelly, P. & White, C. Testicular dysfunction in men with primary hypothyroidism; reversal of hypogonadotrophic hypogonadism with replacement thyroxine 197

Drop, S. see Sas, T.

Drop, S.L. see Sas, T.C.J.

Dubourdieu, S. see Christin-Maitre, S.

Dullaart, R.P.F. see Beentjes, J.A.M.

Dullaart, R.P.F. see Kerstens, M.N.

Dullaart, R.P.F. see Van Tol, K.M.

Dunger, D.B. see Ong, K.K.L.

Dutch Advisory Group, S. see Sas, T.

Eberhardt, N.L. see Mciver, B.

Eguchi, K. see Abe, Y.

Ejima, E. see Abe, Y.

El-Hajj Fuleihan, G. see Haden, S.T.

Elias, L.L.K. see Marui, S.

Ellingrod, V.L. see Long, T.D.

Erfurth, E.M. & Ahrén, B. The negative association between serum free testosterone and leptin is dependent on insulin-like growth factor-binding protein 1 in healthy young and middle-aged men 493

Estour, B. see Caillot-Augusseau, A.

Etchebehere, E.C.S.C. see Ramos, C.D.

Evans, L.M. see Davies, J.S.

Faglia, G. see Corbetta, S.

Faglia, G. see Sartorio, A.

Falorni, A. see Gambelunghe, G.

Fassino, S. see Gianotti, L.

Fassnacht, M. see Beuschlein, F.

Faure, S. see Caillot-Augusseau, A.

Fernandez-Real, J.-M., Granada, M.L., Ruzafa, A., Casamitiana, R. & Ricart, W. Insulin sensitivity and secretion influence the relationship between growth hormone-binding-protein and leptin 159

Fernández-Real, J.M., Grasa, M., Casamitjana, R. & Ricart, W. The insulin resistance syndrome and the binding capacity of cortisol binding globulin (CBG) in men and women 91

Ferone, D. see Colao, A.

Fisker, S. see Juul, A.

Forini, F. see Gambelunghe, G.

Fox, R. see Atiomo, W.U.

Foy, P.M. see Leong, K.S.

Frandsen, E. see Møller, J.

Frasoldati, A. see Jenkins, R.C.

Friend, J. see Atiomo, W.U.

Frisch, H., Kim, C., Häusler, G. & Pfäffle, R. Combined pituitary hormone deficiency and pituitary hypoplasia due to a mutation of the Pit-1 gene 661

Frölich, M. see Veldman, R.G.

Frydman, R. see Christin-Maitre, S.

Frystyk, J. see Skjærbæk, C.

Fujiyama, K see Abe, Y.

Furlong, A. see Davies, J.S.

Fusco, A. see De Marinis, L.

Galan, P. see Barrère, X.

Gambelunghe, G., Forini, F., Laureti, S., Murdolo, G., Toraldo, G., Santeusanio, F., Brunetti, P., Sanjeevi, C.B. & Falorni, A. Increased risk for endocrine autoimmunity in Italian type 2 diabetic patients with GAD65 autoantibodies 565

Gambineri, A. see Pasquali, R.

Gebre-Medhin, G., Husebye, E.S., Mallmin, H., Helström, L., Berne, C., Karlsson, F.A. & Kämpe, O. Oral dehydroepiandrosterone (DHEA) replacement therapy in women with Addison's Disease 775

Gerding, M.N., Prummel, M.F. & Wiersinga, W.M. Assessment of disease activity in Graves' ophthalmopathy by orbital ultrasonography and clinical parameters 641

Gerding, M.N., Van Der Meer, J.W.C., Broenink, M., Bakker, O., Wiersinga, W.M. & Prummel, M.F. Association of thyrotropin receptor antibodies with the clinical features of Graves' opthalmopathy 267

Ghigo, E. see Aimaretti, G.

Ghigo, E. see Gianotti, L.

Giampietro, A. see De Marinis, L.

Gianotti, L., Fassino, S., Daga, G.A., Lanfranco, F., De Bacco, C., Ramunni, J., Arvat, E., Maccario, M. & Ghigo, E. Effects of free fatty acids and acipimox, a lipolysis inhibitor, on the somatotroph responsiveness to GHRH in anorexia nervosa 713

Gibson, J.M. see Jenkins, R.C.

Gingell, C. see Levy, A.

Globerman, H., Zauberman, Y., Makarov, T., Beamer, B.A., Yen, C-J., Shuldiner, A.R., Harel, C. & Karnieli, E. Analysis of the peroxisome proliferator activated receptor γ (PPARγ) gene in HAIRAN syndrome with obesity 479

Gnudi, U. see Pasquali, R.

Goellner, J.R. see Mciver, B.

Göke, B. see Beuschlein, F.

Granada, M.L. see Fernandez-Real, J.-M.

Grant, C.S. see Mciver, B.

Grasa, M. see Fernández-Real, J.M.

Grebe, S.K.G. see Mciver, B.

Greenman, Y. see Tordjman, K. Grossman, A.B. see Johnston, L.B.

Grossman, A.B. see Satta, M.A.

Haarbo, J. see Bjarnason, N.H.

Hadden, D.R. see Leong, K.S.

Haden, S.T., Brown, E.M., Hurwitz, S., Scott, J. & El-Hajj Fuleihan, G. The effects of age and gender on parathyyroid hormone dynamics 329

Hai, N., Aoki, N., Shimatsu, A., Mori, T. & Kosugi, S. Clinical features of multiple endocrine neoplasia type 1 (MEN1) phenocopy without germline MEN1 gene mutations: analysis of 20 Japanese sporadic cases with MEN1 509

Hanley, N.A. see Ball, S.G.

Harel, C. see Globerman, H.

Harris, P.E. see Tremble, J.M.

Häusler, G. see Frisch, H.

Hay, I.D. see Mciver, B.

Heller, S.R. see Jenkins, R.C.

Helström, L. see Gebre-Medhin, G.

Hercberg, S. see Barrère, X.

Hermans, J. see Nagesser, S.K.

Hertel, T. see Juul, A.

Hew, J.M. see Van Tol, K.M.

Heyens, M. see Petersenn, S.T.

Hindmarsh, P.C. see Koziell, A. Hindmarsh, P.C. see Nathwani, N.C.

Hindmarsh, P.C. see Nathwani, N.C.

Hindmarsh, P.C. What's best for the bones in Turner syndrome? 529

Hiromatsu, Y. see Kamizono, S.

Hofland, L.J. see Croughs, R.J.M.

Holt, R.I.G., Miell, J.P., Jones, J.S., Mieli-Vergani, G. & Baker, A.J. Nasogastric feeding enhances nutritional status in paediatric liver disease but does not alter circulating levels of IGF-1 and IGF binding proteins 217

Hong, S.K. see Kim, C.H.

Hong, S.K. see Koh, J.-M.

Hopkins, D. see Tremble, J.M.

Horan, M.A. see O'connell, I.P.M.

Howell, S.J. see Murray, R.D.

Howell, S.J., Radford, J.A., Adams, J.E. & Shalet, S.M. The impact of mild Leydig cell dysfunction following cytotoxic chemotherapy on bone mineral density (BMD) and body composition 609

Hsu, C-H. see Lee, Y-J.

Huang, F-Y. see Lee, Y-J.

Hurwitz, S. see Haden, S.T.

Husebye, E.S. see Gebre-Medhin, G.

Ide, A. see Abe, Y.

Itoh, K. see Kamizono, S.

Izzi, D. see De Marinis, L.

Jacobs, H. see Wild, S.

Jacobs, H.S. see Conn, J.J.

Jaffe, A. see Tordjman, K.

Jager, P.L. see Van Tol, K.M.

Jalali, R., Brada, M., Perks, J.R., Warrington, A.P., Traish, D., Burchell, L., Mcnair, H., Thomas, D.G.T., Robinson, S. & Johnston, D.G. Stereotactic conformal radiotherapy for pituitary adenomas: technique and preliminary experience 695

Janssen, J.A.M.J.L & Lamberts, S.W.J. Circulating IGF-I and its protective role in the pathogenesis of diabetic angiopathy? 1

Jenkins, R.C., Valcavi, R., Zini, M., Frasoldati, A., Heller, S.R., Camacho-Hubner, C., Gibson, J.M., Westwood, M. & Ross, R.J.M. Association of elevated insulin-like growth factor binding protein-1 with insulin resistance in hyperthyroidism 187

Johnston, D.G. see Jalali, R.

Johnston, D.G. see Kousta, E.

Johnston, L.B., Chew, S.L., Trainer, P.J., Reznek, R., Grossman, A.B., Besser, G.M., Monson, J.P. & Savage, M.O. Screening children at risk of developing inherited endocrine neoplasia syndromes 127

Johnston, L.B., Pashankar, F., Camacho-Hubner, C., Savage, M.O. & Clark, A.J.L. Analysis of the intracellular signalling domain of the human growth hormone receptor in children with idiopathic short stature: , 463 Jones, J.S. see Holt, R.I.G.

Jorge, S.M. see Antonini, S.R.R.

Jørgensen, J.O.L. see Møller, J.

Jørgensen, J.O.L. see Nørrelund, H.

Jørgensen, J.O.L. see Skjærbæk, C.

Juul, A., Fisker, S., Scheike, T., Hertel, T., Müller, J., Ørskov, H. & Skakkebæk, N.E. Serum levels of growth hormone binding protein in children with normal and precocious puberty: relation to age, gender, body composition and gonadal steroids 165

Kaal, A. see Skjærbæk, C.

Kamizono, S., Hiromatsu, Y., Seki, N., Bednarczuk, T., Matsumoto, H., Kimura, A. & Itoh, K. A polymorphism of the 5'-flanking region of tumour necrosis factor α gene is associated with thyroid-associated ophthalmopathy in Japanese 759

Kämpe, O. see Gebre-Medhin, G.

Kane, J.W. see Abushoufa, R.A.

Kane, P. see Tremble, J.M.

Kao, H.A. see Lee, Y-J.

Karlsson, F.A. see Gebre-Medhin, G.

Karnieli, E. see Globerman, H.

Kasayama, S., Otsuki, M., Takagi, M., Saito, H., Sumitani, S., Kouhara, H., Koga, M., Saitoh, Y., Ohnishi, T. & Arita, N. Impaired β-cell function in the presence of reduced insulin sensitivity determines glucose tolerance status in acromegalic patients 549

Kaskarelis, I.S. see Tsagarakis, S.

Kathol, R.G. see Long, T.D.

Kauffman, R.F. see Bjarnason, N.H.

Kerstens, M.N., Riemens, S.C., Sluiter, W.J., Pratt, J.J., Wolthers, B.G. & Dullaart, R.P.F. Lack of relationship between 11β-hydroxysteroid dehydrogenase setpoint and insulin sensitivity in the basal state and after 24 hour of insulin infusion in healthy subjects and type 2 diabetic patients 403

Kievit, J. see Nagesser, S.K.

Kim, C. see Frisch, H.

Kim, C.H., Park, J.Y., Shong, Y.K., Hong, S.K., Kim, G.S. & Lee, K.U. Suppression of endogenous insulin secretion by exogenous insulin in patients with insulinoma 85

Kim, G.S. see Kim, C.H.

Kim, G.S. see Koh, J.-M.

Kim, J.Y. see Koh, J.-M.

Kimura, A. see Kamizono, S.

Kiriyama, T. see Abe, Y.

Klain, M. see Colao, A.

Kleibeuker, J.H. see Beentjes, J.A.M.

Knadler, M.P. see Bjarnason, N.H.

Koga, M. see Kasayama, S.

Koh, J.-M., Kim, J.Y., Chung, Y.E., Park, J.-Y., Shong, Y.K., Hong, S.K., Kim, G.S. & Lee, K.U. Increased urinary albumin excretion in Cushing's syndrome: remission after correction of hypercortisolaemia 349

Kokaly, W. & Mckenna, T.J. Relapse of hirsutism following long-term successful treatment with oestrogenprogestogen combination 379

Kokkoris, P. see Tsagarakis, S.

Kosugi, S. see Hai, N.

Kouhara, H. see Kasayama, S.

Kousta, E., Chrisoulidou, A., Lawrence, N.J., Anyaoku, V., Al-Shoumer, K.A.S. & Johnston, D.G. The effects of growth hormone replacement therapy on overnight metabolic fuels in hypopituitary patients 17

Koziell, A., Charmandari, E., Hindmarsh, P.C., Rees, L., Scambler, P. & Brook, C.G.D. Frasier syndrome, part of the Denys Drash continuum or simply a WT1 gene associated disorder of intersex and nephropathy? 519

Krans, H.M.J. see Nagesser, S.K.

Kvasnicka, J., Marek, J., Kvasnicka, T., Weiss, V., Marková, M., Stiepán, J. & Umlaufová, A. Increase of adhesion molecules, fibrinogen, type-1 plasminogen activator inhibitor and orosomucoid in growth hormone (GH) deficient adults and their modulation by recombinant human GH replacement 543

Kvasnicka, T. see Kvasnicka, J.

La Rocca, R. see Bogazzi, F.

Lacroix, A. see Croughs, R.J.M.

Lafage-Proust, M.H. see Caillot-Augusseau, A.

Lamberts, S.W.J. see Janssen, J.A.M.J.L.

Landt, M. see Myers, S.E.

Lanfranco, F. see Gianotti, L.

Lang, F. see Caillot-Augusseau, A.

Lania, A. see Corbetta, S.

Lastoria, S. see Colao, A.

Latronico, A.C. see Marui, S.

Laureti, S. see Gambelunghe, G.

Laureti, S. see Lucidi, P.

Laursen, T. see Skjærbæk, C.

Lauteri, M. see Lucidi, P.

Lawrence, N.J. see Kousta, E.

Lee, K.-C. see Chang, T.-J.

Lee, K.U. see Kim, C.H.

Lee, K.U. see Koh, J.-M.

Lee, Y-J., Huang, F-Y., Lo, F-S., Wang, W-C., Hsu, C-H., Kao, H.A., Yang, T-Y. & Chang, J-G. Association of CTLA4 gene A-G polymorphism with type 1 diabetes in Chinese children 153

Lei, H.-H. see Chang, T.-J.

Leong, K.S., Foy, P.M., Swift, A.C., Atkin, S.L., Hadden, D.R. & Macfarlane, I.A. CSF rhinorrhoea following treatment with dopamine agonists for massive invasive prolactinomas 43

Levy, A. Is monoclonality in pituitary adenomas synonymous with neoplasia? 393

Levy, A., Crowley, T. & Gingell, C. Non-surgical management of erectile dysfunction 253

Lhullier, F. see Spritzer, P.M.

Li, J.K.Y. see Ng, M.C.Y.

Liberale, I. see De Marinis, L.

Liberati, D. see Sartorio, A.

Lieberman, E. see Vilchis, F.

Limor, R. see Tordiman, K.

Linge, D. see Michelangeli, V.P.

Links, T.P. see Van Tol, K.M.

Lisboa, K.O. see Spritzer, P.M.

Lissett, C.A. see Murray, R.D.

Liu, W. see Mciver, B.

Lo, F-S. see Lee, Y-J.

Loche, S. see Colao, A.

Lombardi, G. see Colao, A.

Lombardi, G. see Colao, A.

Lombardi, G. see Colao, A.

Long, T.D., Ellingrod, V.L., Kathol, R.G., Christensen, L.E., Resch, D.S. & Perry, P.J. Lack of menstrual cycle effects on hypothalamic-pituitary-adrenal axis to insulin-induced hypoglycaemia 781

Lucci, R. see Colao, A.

Lucidi, P., Laureti, S., Santoni, S., Lauteri, M., Busciantella-Ricci, N., Angeletti, G., Santeusanio, F. & De Feo, P. Administration of recombinant human growth hormone on alternate days is sufficient to increase whole body protein synthesis and lipolysis in growth hormone deficient adults 173

Lüdecke, D.K. see Petersenn, S.T.

Maccario, M. see Gianotti, L.

Macfarlane, I.A. see Leong, K.S.

Madureira, G. see Bachega, T.A.S.S.

Makarov, T. see Globerman, H.

Malagari, C. see Tsagarakis, S.

Mallmin, H. see Gebre-Medhin, G.

Mancini, A. see De Marinis, L.

Manetti, L. see Bartalena, L.

Mantovani, G. see Corbetta, S.

Marcocci, C. see Bartalena, L. Marcondes, J.A.M. see Bachega, T.A.S.S.

Marek, J. see Kvasnicka, J.

Margaillan, P. see Caillot-Augusseau, A.

Marková, M. see Kvasnicka, J.

Marqversen, J. see Møller, J.

Martino, E. see Bogazzi, F.

Marui, S., Castro, M., Latronico, A.C., Elias, L.L.K., Arnhold, I.J.P., Moreira, A.C. & Mendonca, B.B. Mutations in the type II 38-hydroxysteroid dehydrogenase (HSD3B2) gene can cause premature pubarche in girls 67

Matsumoto, H. see Kamizono, S.

Mattiello, S. see Spritzer, P.M.

Mattock, M.B. see Pickup, J.C.

Maycock, P.F. see O'connell, I.P.M.

Mazzi, B. see Bartalena, L.

Mciver, B., Grebe, S.K.G., Wang, L., Hay, I.D., Yokomizo, A., Liu, W., Goellner, J.R., Grant, C.S., Smith, D.I. & Eberhardt, N.L. FHIT and TSG101 in thyroid tumours: aberrant transcripts reflect rare abnormal RNA processing events of uncertain pathogenetic or clinical significance 749

Mckeigue, P. see Wild, S.

Mckenna, K. see Smith, D.M.

Mckenna, S. see Wirén, L.

Mckenna, T.J. see Kokaly, W.

Mclellan, A.C. see Westwood, M.E.

Mcnair, H. see Jalali, R.

Méndez, J.P. see Vilchis, F.

Mendonca, B.B. see Bachega, T.A.S.S.

Mendonca, B.B. see Marui, S.

Menozzi, R. see Pasquali, R.

Michelangeli, V.P., Pawape, G., Sinha, A., Ongugu, K., Linge, D., Sengupta B, S.H., Tait, B. & Colman, P.G. Clinical features and pathogenesis of thyrotoxicosis in adult Melanesians in Papua New Guinea 261

Mieli-Vergani, G. see Holt, R.I.G.

Miell, J.P. see Holt, R.I.G.

Mijovic, C.H. see Ng, M.C.Y.

Møller, J see Skjærbæk, C.

Møller, J., Jørgensen, J.O.L., Marqversen, J., Frandsen, E. & Christiansen, J.S. Insulin-like growth factor 1 administration induces fluid and sodium retention in healthy adults: possible involvement of renin and atrial natriuretic factor 181

Møller, N. & Ørskov, H. Growth hormone, IGF-I and diabetic angiopathy revisited 11

Møller, N. see Nørrelund, H.

Monson, J.P. Application of a disease-specific, quality-of-life measure (QoL-AGHDA) in growth hormone-deficient adults and a random population sample in Sweden: validation of the measure by Rasch analysis 141

Monson, J.P. see Johnston, L.B.

Monson, J.P. see Toogood, A.

Moreira, A.C. see Antonini, S.R.R.

Moreira, A.C. see Marui, S.

Mori, T. see Hai, N.

Müller, J. see Juul, A.

Murdolo, G. see Gambelunghe, G.

Murray, R.D., Howell, S.J., Lissett, C.A. & Shalet, S.M. Pretreatment IGF-I level is the major determinant of GH dosage in adult GH deficiency 537

Myers, S.E., Davis, A., Whitman, B.Y., Santiago, J.V. & Landt, M. Leptin concentrations in Prader-Willi syndrome before and after growth hormone replacement 99

N'diaye, N. see Croughs, R.J.M.

Nagesser, S.K., Van Seters, A.P., Kievit, J., Hermans, J.,
Van Dulken, H., Krans, H.M.J. & Van De Velde, C.J.H.
Treatment of pituitary—dependent Cushing's syndrome:
long-term results of unilateral adrenalectomy followed
by external pituitary irradiation compared to
transsphenoidal pituitary surgery 427

Nair, K.S. see Nørrelund, H.

Nathwani, N.C., Unwin, R., Brook, C.G.D. & Hindmarsh, P.C. Blood pressure and Turner syndrome: , 363

Nathwani, N.C., Unwin, R., Brook, C.G.D. & Hindmarsh, P.C. The influence of renal and cardiovascular abnormalities on blood pressure in Turner Syndrome 371

Neri, E. see Bogazzi, F.

Ng, M.C.Y., Yeung, V.T.F., Chow, C.C., Li, J.K.Y., Smith, P.R., Mijovic, C.H., Critchley, J.A.J.H., Barnett, A.H., Cockram, C.S. & Chan, J.C.N. Mitochondrial DNA A3243G mutation in patients with early- or late-onset type 2 diabetes mellitus in Hong Kong Chinese 557

Nicolai, E. see Colao, A.

Noel, M. see Bussieres, L.

Nørrelund, H., Børglum, J., Jørgensen, J.O.L., Richelsen, B., Møller, N., Nair, K.S. & Christiansen, J.S. Effects of growth hormone administration on protein dynamics and substrate metabolism during 4 weeks of dietary restriction in obese women 305

O'connell, I.P.M., Barton, R.N., Horan, M.A. & Maycock, P.F. Distrupted cortisol—ACTH relationships in elderly women given corticotrophin-releasing hormone two weeks after proximal femur fracture 51

Obuobie, K. see Davies, J.S.

Ohnishi, T. see Kasayama, S.

Olivennes, F. see Christin-Maitre, S.

On Growth Hormone, S. see Sas, T.

On Growth Hormone, S.L. see Sas, T.C.J.

Ong, K.K.L., Amin, R. & Dunger, D.B.

Pseudohypoparathyroidism - another monogenic obesity

syndrome:, 389

Ongphiphadhanakul, B., Chanprasertyothin, S., Payatikul, P., Sae Tung, S., Piaseu, N., Chailurkit, L., Chansirikarn, S., Puavilai, G. & Rajatanavin, R. Oestrogen-receptor-α gene polymorphism affects response in bone mineral density to oestrogen in post-menopausal women 581

Ongugu, K. see Michelangeli, V.P.

Origlia, C. see Aimaretti, G.

Ørskov, H. see Juul, A.

Ørskov, H. see Møller, N.

Ørskov, H. see Skjærbæk, C.

Otsuki, M. see Kasayama, S.

Paillet, S. see Caillot-Augusseau, A.

Park, J.Y. see Kim, C.H.

Park, J.-Y. see Koh, J.-M.

Pashankar, F. see Johnston, L.B.

Pasquali, R., Vicennati, V., Calzoni, F., Gnudi, U., Gambineri, A., Ceroni, L., Cortelli, P., Menozzi, R., Sinisi, R. & Del Rio, G. α2-adrenoceptor regulation of the hypothalamic-pituitary- adrenocortical axis in obesity 413

Pawape, G. see Michelangeli, V.P.

Payatikul, P. see Ongphiphadhanakul, B.

Pelletier, B. see Barrère, X.

Perks, J.R. see Jalali, R.

Perry, P.J. see Long, T.D.

Petersenn, S.T., Heyens, M., Lüdecke, D.K., Beil, F.U. & Schulte, H.M. Absence of somatostatin receptor type 2A mutations and gip oncogene in pituitary somatotroph adenomas 35

Pfäffle, R. see Frisch, H.

Piaseu, N. see Ongphiphadhanakul, B.

Pickup, J.C., Chusney, G.D. & Mattock, M.B. The innate immune response and type 2 diabetes: evidence that leptin is associated with a stress-related (acute-phase) reaction 105

Pierpoint, T. see Wild, S.

Pietrosante, M. see Colao, A.

Pinchera, A. see Bartalena, L.

Pincus, S.M. see Veldman, R.G.

Pinto, G. see Bussieres, L.

Pirozzi, B. see Satta, M.A.

Pivonello, R. see Colao, A.

Pivonello, R. see Colao, A.

Pizzocaro, A. see Sartorio, A.

Pols, H.A.P. see Colin, E.M.

Pratt. J.J. see Kerstens, M.N.

Prentice, A.G. see Atiomo, W.U.

Preziosi, P. see Barrère, X.

Prummel, M.F. see Gerding, M.N.

Prummel, M.F. see Gerding, M.N.

Puavilai, G. see Ongphiphadhanakul, B.

Radford, J.A. see Howell, S.J.

Rafferty, B. see Abushoufa, R.A.

Raggi, F. see Bogazzi, F.

Rajatanavin, R. see Ongphiphadhanakul, B.

Ramos, C.D., Zantut-Wittmann, D.E., Tambascia, M.A.,
Assumpcao, L., Etchebehere, E.C.S.C. & Camargo, E.E.
Thyroid suppression test with L-thyroxine and (<sup>99m</sup>Tc)
pertechnetate 471

Ramunni, J. see Gianotti, L.

Rees, D.A. see Davies, J.S.

Rees, L. see Koziell, A.

Reincke, M. see Beuschlein, F.

Resch, D.S. see Long, T.D.

Reznek, R. see Johnston, L.B.

Ricart, W. see Fernandez-Real, J.-M.

Ricart, W. see Fernández-Real, J.M.

Richelsen, B. see Nørrelund, H.

Riemens, S.C. see Kerstens, M.N.

Robertson, W.R. see Abushoufa, R.A.

Robinson, S. see Jalali, R.

Rocchi, R. see Bartalena, L.

Rodin, A. see Walker, B.R.

Roelfsema, F. see Veldman, R.G.

Röjdmark, S., Rydvald, Y., Aquilonius, A. & Brismar, K. Insulin-like growth factor (IGF)-1 and IGF binding protein-1 concentrations in serum of normal subjects after alcohol ingestion: evidence for decreased IGF-1 bioavailability 313

Ronca, G. see Bogazzi, F.

Ross, R.J.M. see Jenkins, R.C.

Rossi, S. see De Marinis, L.

Rota, C.A. see Satta, M.A.

Ruzafa, A. see Fernandez-Real, J.-M.

Rydvald, Y. see Röjdmark, S.

Sae Tung, S. see Ongphiphadhanakul, B.

Saito, H. see Kasayama, S.

Saitoh, Y. see Kasayama, S.

Salvatore, M. see Colao, A.

Salvatore, M. see Colao, A.

Salvatore, W. see Colao, A.

Sanjeevi, C.B. *see* Gambelunghe, G. Santeusanio, F. *see* Gambelunghe, G.

Santeusanio, F. see Lucidi, P.

Santiago, J.V. see Myers, S.E.

Santoni, S. see Lucidi, P.

Sartorio, A., Pizzocaro, A., Liberati, D., De Nicolao, G., Veldhuis, J.D. & Faglia, G. Abnormal LH pulsatility in women with hyperprolactinaemic amenorrhoea normalizes after bromocriptine treatment: deconvolution-based assessment 703

Sas, T., De Muinck Keizer-Schrama, S., Aanstoot, H-J., Stijnen, T., Drop, S., The, S., Dutch Advisory Group, S. & On Growth Hormone, S. Carbohydrate metabolism during growth hormone treatment and after discontinuation of growth hormone treatment in girls with Turner syndrome treated with once or twice daily growth hormone injections 741

Sas, T.C.J., De Muinck Keizer-Schrama, S.M., Stijnen, T., Asarfi, A., Van Leeuwen, W.J., Van Teunenbroek, A., Van Rijn, R.R., Drop, S.L., The Dutch Advisory Group, S.L. & On Growth Hormone, S.L. A longitudinal study on bone mineral density until adulthood in girls with Turner's syndrome participating in a growth hormone injection frequency-response trial 531

Satta, M.A., Corsello, S.M., Della Casa, S., Rota, C.A., Pirozzi, B., Colasanti, S., Cina, G., Grossman, A.B. & Barbarino, A. Adrenal insufficiency as the first clinical manifestation of the primary antiphospholipid antibody syndrome 121

Savage, M.O. see Johnston, L.B.

Savage, M.O. see Johnston, L.B.

Savage, M.O. The combined pituitary function test is not indicated in the routine investigation of short stature 679

Scambler, P. see Koziell, A.

Scanlon, M.F. see Davies, J.S.

Scheike, T. see Juul, A.

Schirra, J. see Beuschlein, F.

Schulte, H.M. see Petersenn, S.T.

Scott, J. see Haden, S.T.

Seki, N. see Kamizono, S.

Sengupta B, S.H. see Michelangeli, V.P.

Sera, N. see Abe, Y.

Shalet, S.M. see Howell, S.J.

Shalet, S.M. see Murray, R.D.

Shalet, S.M. see Toogood, A.

Shaw, S. see Atiomo, W.U.

Shimatsu, A. see Hai, N.

Shong, Y.K. see Kim, C.H.

Shong, Y.K. see Koh, J.-M.

Shuldiner, A.R. see Globerman, H.

Sinha, A. see Michelangeli, V.P.

Sinisi, R. see Pasquali, R.

Skakkebæk, N.E. see Juul, A.

Skjærbæk, C., Frystyk, J., Kaal, A., Laursen, T., Møller, J. Weekes, J., Jørgensen, J.O.L., Christiansen, J.S. & Ørskov, H. Circadian variation in serum free and total insulin-like growth factor (IGF)-I and IGF-II in untreated and treated acromegaly and growth hormone deficiency 25

Sluiter, W.J. see Beentjes, J.A.M.

Sluiter, W.J. see Kerstens, M.N.

Smith, D.I. see Mciver, B.

Smith, D.M., Mckenna, K. & Thompson, C.J. Hyponatraemia

Smith, J. see Davies, J.S.

Smith, P.R. see Ng, M.C.Y.

Souberbielle, J.-C. see Bussieres, L.

Spada, A. see Corbetta, S.

Spritzer, P.M., Lisboa, K.O., Mattiello, S. & Lhullier, F. Spironolactone as a single agent for long-term therapy of hirsute patients 587

Stern, N. see Tordiman, K.

Stìepán, J. see Kvasnicka, J.

Stijnen, T. see Sas, T.

Stijnen, T. see Sas, T.C.J.

Sumitani, S. see Kasayama, S.

Swift, A.C. see Leong, K.S.

Tai, T.Y. see Chang, T.-J.

Tait, B. see Michelangeli, V.P.

Takagi, M. see Kasayama, S.

Talbot, J.A. see Abushoufa, R.A.

Tambascia, M.A. see Ramos, C.D.

Tanda, M.L. see Bartalena, L.

Taylor, N.F. see Toogood, A.

Taylor, N.F. see Walker, B.R.

Thalassinos, N. see Tsagarakis, S.

The Dutch Advisory Group, S.L. see Sas, T.C.J.

The, S. see Sas, T.

Thomas, D.G.T. see Jalali, R.

Thompson, C.J. see Smith, D.M.

Tominaga, T. see Abe, Y.

Toogood, A., Taylor, N.F., Shalet, S.M. & Monson, J.P. Sexual dimorphism of cortisol metabolism is maintained in elderly subjects and is not oestrogen dependant 61

Toraldo, G. see Gambelunghe, G.

Tordjman, K., Jaffe, A., Trostanetsky, Y., Greenman, Y., Limor, R. & Stern, N. Low-dose (1 µg) adrenocorticotrophin (ACTH) stimulation as a screening test for impaired hypothalamo-pituitary-adrenal axis function: sensitivity, specificity and accuracy in comparison with the high-dose (250 µg) test 633

Trainer, P.J. see Johnston, L.B.

Traish, D. see Jalali, R.

Tremble, J.M., Buxton-Thomas, M., Hopkins, D., Kane, P., Bailey, D. & Harris, P.E. Cushing's syndrome associated with a chemodectoma and a carcinoid tumour

Trostanetsky, Y. see Tordjman, K.

Tsagarakis, S., Kaskarelis, I.S., Kokkoris, P., Malagari, C. &

Thalassinos, N. The application of a combined stimulation with CRH and desmopressin during bilateral inferior petrosal sinus sampling in patients with Cushing's syndrome 355

Uitterlinden, A.G. see Colin, E.M. Ultimieri, F. see Bogazzi, F. Umlaufová, A. see Kyasnicka, J. Unwin, R. see Nathwani, N.C.

Unwin, R. see Nathwani, N.C.

Valcavi, R. see Jenkins, R.C.
Valeix, P. see Barrère, X.
Valle, D. see De Marinis, L.
Van De Velde, C.J.H. see Nagesser, S.K.
Van Der Meer, J.W.C. see Gerding, M.N.
Van Dulken, H. see Nagesser, S.K.
Van Gorkom, B.A.P. see Beentjes, J.A.M.
Van Leeuwen, J.P.T.M. see Colin, E.M.
Van Leeuwen, W.J. see Sas, T.C.J.

Van Rijn, R.R. see Sas, T.C.J. Van Seters, A.P. see Nagesser, S.K. Van Teunenbroek, A. see Sas, T.C.J.

Van Tol, K.M., Hew, J.M., Jager, P.L., Vermey, A., Dullaart, R.P.F. & Links, T.P. Embolization in combination with radioiodine therapy for bone metastases from differentiated thyroid carcinoma 653

Van Vroonhoven, T.J.M.V. see Croughs, R.J.M. Veldhuis, J.D. see Sartorio, A.

Veldhuis, J.D. see Veldman, R.G.

Veldman, R.G., Frölich, M., Pincus, S.M., Veldhuis, J.D. & Roelfsema, F. Growth hormone and prolactin are secreted more irregularly in patients with Cushing's disease 625

Vergely, N. see Caillot-Augusseau, A. Vermey, A. see Van Tol, K.M.

Vicennati, V. see Pasquali, R.

Vicentini, L. see Corbetta, S.

Vilchis, F., Méndez, J.P., Canto, P., Lieberman, E. & Chávez, B. Identification of missense mutations in the SRD5A2 gene from patients with steroid 5α-reductase 2 deficiency 383

Walker, B.R. Deflazacort: towards selective glucocorticoid receptor modulation?: , 13

Walker, B.R. How will we know if 11β-hydroxysteroid dehydrogenases are important in common diseases? 401

Walker, B.R., Rodin, A., Taylor, N.F. & Clayton, R.N. Endogenous inhibitors of 11β-hydroxysteroid dehydroganse type 1 do not explain abnormal cortisol metabolism in polycystic ovary syndrome 75

Wang, L. see Mciver, B. Wang, W-C. see Lee, Y-J.

Warrington, A.P. see Jalali, R.

Weekes, J. see Skjærbæk, C.

Weel, A.E.A.M. see Colin, E.M.

Weiss, V. see Kvasnicka, J.

Westwood, M. see Jenkins, R.C.

Westwood, M.E., Butler, G.E., Mclellan, A.C. & Barth, J.H.

The combined pituitary function test in children: an
evaluation of the clinical usefulness of TRH and LHRH
stimulation tests: an evaluation of the clinical usefulness
of TRH and LHRH stimulation tests through
retrospective analysis of one hundred and twenty six
cases 727

Whalley, D. see Wirén, L. White, C. see Donnelly, P. Whitman, B.Y. see Myers, S.E.

Wiersinga, W.M. see Gerding, M.N.

Wiersinga, W.M. see Gerding, M.N.

Wild, S., Pierpoint, T., Mckeigue, P. & Jacobs, H. Cardiovascular disease in women with polycystic ovary syndrome at long-term follow-up: a retrospective cohort study 595

Wilhelmsen, L. see Wirén, L. Wilkin, T.J. see Atiomo, W.U.

Wirén, L., Whalley, D., Mckenna, S. & Wilhelmsen, L. Application of a disease-specific, quality-of- life measure (QoL-AGHDA) in growth hormone-deficient adults and a random population sample in Sweden: validation of the measure by Rasch analysis 143

Wolthers, B.G. see Kerstens, M.N. Woodhouse, N.J.Y. see Doi, S.A.R.

Yang, T-Y. see Lee, Y-J.

Yeh, J.-I. see Chang, T.-J.

Yen, C-J. see Globerman, H.

Yeung, V.T.F. see Ng, M.C.Y.

Yokomizo, A. see Mciver, B.

Yokoyama, N. see Abe, Y.

Zantut-Wittmann, D.E. see Ramos, C.D.

Zauberman, Y. see Globerman, H.

Zelissen, P.M.J. see Croughs, R.J.M.

Zhang, R. & Degroot, L.J. Genetic immunotherapy of established tumours with adenoviral vectors transducing murine interleukin-12 (mIL12) subunits in a rat medullary thyroid carcinoma model 687

Zini, M. see Jenkins, R.C.

# Subject Index to Volume 52

Acipimox

effects on GH secretion in anorexia nervosa 713

Acromegaly

circadian variation in IGF-I 25

insulin sensitivity and B-cell function in 549

ACTH

cortisol-ACTH and CRH tests after hip fracture 51 low dose screening test for HPA axis status 633 response in Cushing's syndrome (Case report) 235 (Commentary) 137

secretion in obesity 413

Addison's disease

antiphospholipid syndrome and (Case report) 123 oral DHEA therapy in women 775

Adenoviral vectors

immunotherapy in thyroid carcinoma model 687

Adolescents

bone loss in hyperprolactinaemia 319

Adrenalectomy

in treatment of Cushing's syndrome 427

Adrenal incidentalomas

HPA response to glucose tolerance testing 617

Age

cardiac performance in GHD patients 447 gender and parathyroid hormone dynamics 329

Albumin

microalbuminuria in Cushing's syndrome 349

Alcohol

IGFBP-1 and IGF-I 313

Amenorrhoea

LH pulsatility in hyperprolactinaemic women 703

Animal models

genetic immunotherapy in thyroid carcinoma 687 mice as (Commentary) 399

Anorexia nervosa

effects of free fatty acids and acipimox on GH secretion 713

weight gain and bone turnover 113

Antiphospholipid antibody syndrome

Addison's disease and (Case report) 123

Atherosclerosis

reduction by raloxifene 225

Atrial natriuretic factor

hyponatraemia (Review) 667

IGF-I and body water homeostasis 181

Autoantibodies

GAD65, in type 2 diabetes 565

Biliary atresia

nasogastric feeding in 217

Blood pressure

in Turner syndrome 363, 371

Bone

BMD, chemotherapy and Leydig cell dysfunction 609

BMD and ERa polymorphism 583

BMD and GH in Turner syndrome 531 (Commentary) 529

loss in hyperprolactinaemic adolescents 319

recovery after parathyroidectomy 203

treatment of metastases 653

turnover in anorexia and weight gain 113

Breast cancer

tamoxifen and GHRH-induced GH secretion 681

Bromocriptine therapy

LH pulsatility in hyperprolactinaemic amenorrhoea 703

CAH

carbenoxolone in (Letter) 246

genotyping and 21-hydroxylase deficiency 601

Calcium-sensing receptor

in parathyroid tumours 339

Carbenoxolone, in CAH (Letter) 246

Carbohydrate metabolism

GH therapy in Turner syndrome 741

Carcinoid tumour

associated with Cushing's syndrome and a

chemodectoma

(Case report) 789

Cardiovascular disease

in women with PCOS 595

Catecholamines

secretion in obesity 413

Chemodectoma

associated with Cushing's syndrome and a carcinoid tumour (Case report) 789

Chemotherapy

Leydig cell dysfunction and BMD 609

Children

carbohydrate metabolism and GH therapy in Turner syndrome 741

circadian rhythm of cortisol in preterm infants 423

combined pituitary function test and short stature 727 (Commentary) 679

CTLA4 gene and type 1 diabetes 153 (Commentary) 139 diagnosis of GH neurosecretory dysfunction 287

GHBP in normal and precocious puberty 165

GH receptor and idiopathic short stature 463 IGF-1 reference values and diagnosis of GHD 735 nasogastric feeding in biliary atresia 217 premature pubarche and 3B-HSD 67 screening for inherited endocrine neoplasia syndromes (Review) 127 see also Adolescents

Chronic fatigue syndrome synacthen test in (Letters) 797, 798

Circadian variation cortisol in preterm infants 423 IGF-I in GII-related disorders 25 weight gain and bone turnover in anorexia 113

Colonic epithelium GH replacement and 457

Cortisol in chronic fatigue syndrome (Letters) 797, 798 circadian rhythm in preterm infants 423 cortisol-ACTH and CRH tests after hip fracture 51 metabolism and polycystic ovary syndrome 77 response in Cushing's syndrome (Case report) 235 (Commentary) 137 sexual dimorphism of metabolism 61

Cortisol binding globulin (CBG) in insulin resistance syndrome 93

CRH combined with desmopressin stimulation in Cushing's syndrome 355 tests, and cortisol-ACTH after hip fracture 51

CSF rhinorrhoea in invasive prolactinoma 43

Cushing's disease/syndrome associated with a chemodectoma and a carcinoid tumour (Case report) 789 combined CRH and desmopressin stimulation 355 GIP-dependent (Case report) 235 (Commentary) 137 microalbuminuria in 349 secretion of GH and prolactin 625 treatment of 427

Deflazacort glucocorticoid receptor modulation (Commentary) 13 Denys Drash syndrome

Frasier syndrome and (Case report) 519 (Commentary) 399

Desmopressin combined with CRH stimulation in Cushing's syndrome 355

DHEA oral therapy in Addison's disease 775 Diabetes

IGF-I and diabetic angiopathy (Review) 1 (Commentary) 11 protease inhibitor induced (Letter) 241 screening in obese women (Letter) 248 type 1, and CTLA4 gene 153 (Commentary) 139 type 1, and vitamin D receptor gene polymorphisms 575 type 2: 11B-HSD and insulin resistance 403 (Commentary) 401 type 2, and GAD65 autoantibodies 565 type 2, and leptin as a stress-related peptide 107 type 2, and mt3243 mutation 557 type 2, and polycystic ovaries 81

Dopamine agonists CSF rhinorrhoea and invasive prolactinoma 43 prediction of response in pituitary adenomas 437 Down's syndrome

sialic acid specific lectin-immunoassay 499

Eating disorders see Anorexia nervosa Embolization in treatment of bone metastases 653

Erectile dysfunction non-surgical management (Review) 253 Ethanol

IGFBP-1 and IGF-I 313

(Commentary) 399

Fatigue see Chronic fatigue syndrome Fatty acids, free effects on GH secretion in anorexia nervosa 713 Fluid retention IGF-I and body water homeostasis 181 Frasier syndrome

Denys Drash syndrome and (Case report) 519

Gastric inhibitory polypeptide (GIP) in Cushing's syndrome (Case report) 235 (Commentary) 137

Gender age and parathyroid hormone dynamics 329 Genetics

3β-HSD and premature pubarche 67 CAH and 21-hydroxylase deficiency 601 calcium-sensing receptor in parathyroid tumours 339 clinical features of MEN1 phenocopy 509 CTLA4 gene and type 1 diabetes 153 (Commentary) 139 ERa polymorphism and BMD 583 FHIT and TSG101 in thyroid tumours 749 GHR in children with ISS 463

immunotherapy in thyroid carcinoma model 687 monoclonality in pituitary adenomas (Review) 393 mt3243 mutation in type 2 diabetes 557 natural VDR genotypes and 1,25-(OH)2D3 action 211 novel mutation in Pendred's syndrome 279 pituitary hormone deficiency and hypoplasia (Case report) 661 PPARg gene in HAIRAN syndrome 479 pseudohypoparathyroidism (Case report) 389 screening children for inherited endocrine neoplasia syndromes (Review) 127 sst2A and gip in somatotroph adenomas 35 steroid 5a-reductase 2 deficiency 383 TNF-a gene in thyroid-associated ophthalmopathy 759 vitamin D receptor polymorphisms in type 1 diabetes 575 WT1, Frasier syndrome and Denys Drash syndrome (Case report) 519 (Commentary) 399

#### GH

BMD in Turner syndrome 531 (Commentary) 529 effect of tamoxifen on GHRH-induced secretion 681 IGF-I and diabetic angiopathy (Review) 1 (Commentary) 11 impact on protein metabolism 305 receptor in idiopathic short stature 463 replacement, and carbohydrate metabolism in Turner syndrome 741 replacement, and colonic epithelium 457 replacement, and inflammatory response 543 replacement, and leptin in Prader-Willi syndrome 101 replacement, and metabolic fuels in hypopituitarism 17 replacement, and vascular reactivity (Letter) 795 secretion in Cushing's disease 625 trial of therapy 295

#### **GHBP**

in children with normal and precocious puberty 165 insulin sensitivity and leptin 159

#### GHD

cardiac performance in 447
circadian variation in IGF-1 25
diagnosis of neurosecretory dysfunction 287
GH replacement and vascular reactivity (Letter) 795
IGF-1 reference values in diagnosis 735
IGF-I level and GH dosage 537
optimal frequency of rhGH therapy 173
quality of life assessment in 143
(Commentary) 141

#### GHRH

effects of free fatty acids and acipimox in anorexia nervosa 713 effect of tamoxifen on GH secretion 681

#### Glucocorticoids

selective receptor modulation (Commentary) 13

#### Glucose

tolerance status in acromegaly 549 tolerance testing, adrenal incidentalomas and HPA response 617

#### **GnRH**

antagonist, and controlled ovarian hyperstimulation 721 Graves' disease

assessment of ophthalmopathy 641 ophthalmopathy and IL-1 receptor antagonist 647 TNF-a gene polymorphism and ophthalmopathy 759 TSH receptor antibodies and ophthalmopathy 267

#### HAIRAN syndrome

PPARg gene in 479

#### hCG

sialic acid specific lectin-immunoassay 499

#### Hip fracture

CRH tests after 51

#### Hirsutism

long-term spironolactone therapy 587 relapse following hormone treatment 379

#### 21-Hydroxylase deficiency

genotyping and CAH 601

#### Hydroxysteroid dehydrogenase

(Commentary) 401

 $3\beta\text{-HSD}$  and premature pubarche 67  $11\beta\text{-HSD}$  activity in PCOS 77  $11\beta\text{-HSD}$  and insulin resistance 403

#### Hyperparathyroidism

bone recovery after parathyroidectomy 203

## Hyperprolactinaemia

abnormal LH pulsatility in women 703 bone loss in adolescents 319 non-surgical management of erectile dysfunction (Review) 253

#### Hypertension

in Turner syndrome 363, 371

#### Hyperthyroidism

IGFBP-1 and insulin resistance in 187 radioactive iodine therapy and patient satisfaction (Letter) 795

#### Hypoandrogenaemia

non-surgical management of erectile dysfunction (Review) 253

#### Hypoglycaemia

menstrual cycle and HPA response 781

### Hypogonadism

hypothyroidism and 197

Hyponatraemia

(Review) 667

Hypopituitarism

effects of GH therapy on metabolic fuels 17 trial of GH therapy 295

Hypothalamic-pituitary-adrenal (HPA) axis

adrenal incidentalomas and response to glucose testing 617

effects of menstrual cycle on insulin-induced

hypoglycaemia 781

low dose ACTH screening test 633

in obesity 413

Hypothyroidism

hypogonadism and 197

IGF-I

body water homeostasis and 181

circadian variation in GH-related disorders 25

diabetic angiopathy and (Review) 1

(Commentary) 11

IGFBP-1 and ethanol 313

level and GH dosage in GHD 537

reference values and diagnosis of GHD 735

IGFBP-1

IGF-I and ethanol 313

insulin resistance in hyperthyroidism and 187

testosterone and leptin 493

Immune response

leptin as a stress-related peptide 107

Immunoassay

sialic acid specific lectin, for hCG glycoforms 499

**Immunostaining** 

thyroperoxidase, and thyroid nodules (Letter) 797

Immunotherapy

in thyroid carcinoma model 687

Incidentalomas see Adrenal incidentalomas

Inflammatory response

GH replacement and 543

Insulin

11B-HSD and insulin resistance 403

(Commentary) 401

GHBP and leptin 159

IGFBP-1 and hyperthyroidism 187

insulin resistance syndrome and CBG binding 93

secretion in insulinoma patients 87

sensitivity and \( \beta\)-cell function in acromegaly 549

Insulinoma

secretion of insulin and 87

Interleukins

IL-1 receptor antagonist, in Graves' ophthalmopathy 647

IL-12 immunotherapy, in thyroid carcinoma model 687

Internet

(Commentary) 399

Leptin

insulin sensitivity and GHBP 159

in Prader-Willi syndrome 101

as a stress-related peptide 107

testosterone and IGFBP-1 493

Leydig cell dysfunction

chemotherapy and BMD 609

LH

effect of GnRH antagonist in controlled ovarian

hyperstimulation 721

in hyperprolactinaemic amenorrhoea 703

LHRH

combined pituitary function test in children 727

(Commentary) 679

Lipid metabolism

effects of free fatty acids in anorexia nervosa 713

Liver disease

nasogastric feeding in children 217

Men

hypothyroidism and hypogonadism 197

testosterone, IGFBP-1 and leptin 493

Menstrual cycle

effects on HPA response to hypoglycaemia 781

LH pulsatility in hyperprolactinaemic amenorrhoea 703

Metabolism

carbohydrate, and GH therapy in Turner syndrome 741

cortisol, and polycystic ovary syndrome 77

cortisol, sexual dimorphism 61

effects of GH therapy in hypopituitarism 17

impact of GH on protein 305

optimal frequency of rhGH therapy and 173

protein, impact of GH in obesity 305

see also Bone

Metformin

ovarian steroidogenesis in PCOS (Letter) 243

Mice

as models (Commentary) 399

Microalbuminuria

in Cushing's syndrome 349

Models see Animal models

Multiple endocrine neoplasia (MEN)

clinical features of MEN1 phenocopy 509

screening children at risk (Review) 127

Nasogastric feeding

in biliary atresia 217

Obesity

catecholamines and ACTH secretion 413 hypothalamic-pituitary-adrenocortical axis 413 impact of GH on protein metabolism 305 PPARy gene in HAIRAN syndrome 479 pseudohypoparathyroidism (Case report) 389 screening for diabetes in women (Letter) 248

Oestrogen

ERa polymorphism and BMD 583 in treatment of hirsutism 379

Ophthalmopathy, Graves'

assessment of disease activity 641 IL-1 receptor antagonist and 647 TNF-a gene polymorphism 759 TSH receptor antibodies 267

Ovarian function

GnRH antagonist in controlled ovarian hyperstimulation 721 metformin and steroidogenesis in PCOS (Letter) 243 see also Polycystic ovaries, Polycystic ovary syndrome

Parathyroid

age, gender and hormone dynamics 329

Parathyroidectomy bone recovery after 203

Parathyroid tumours calcium-sensing receptor expression 339

Patient satisfaction radioactive iodine therapy for hyperthyroidism (Letter) 795

Pendred's syndrome novel mutation in 279

Pituitary

combined function test in children with short stature 727

(Commentary) 679

Pituitary adenomas

monoclonality in (Review) 393 prediction of response to dopamine agonists 437 sst2A mutations and gip oncogene in 35 stereotactic conformal radiotherapy 695

Pituitary disease combined hormone deficiency and hypoplasia (Case report) 661

Plasminogen activator inhibitor-1 (PAI-1) in women with PCOS 487

in type 2 diabetes 81 Polycystic ovary syndrome

Polycystic ovaries

Polycystic ovary syndrome cardiovascular disease and 595 cortisol metabolism and 77 metformin and ovarian steroidogenesis in (Letter) 243 PAI-1 in 487

Prader-Willi syndrome

leptin in 101 Pregnancy

sialic acid specific lectin-immunoassay 499

Progestogen

in treatment of hirsutism 379

Prolactin

secretion in Cushing's disease 625

Prolactinoma

bone loss in adolescents 319 invasive, CSF rhinorrhoea in 43

Protease inhibitors diabetes mellitus and (Letter) 241

Pseudohypoparathyroidism (Case report) 389

Pubarche, premature
3β-HSD and 67

Puberty

normal and precocious, GHBP in 165

Quality of life

assessment in GHD 143 (Commentary) 141

Radioactive iodine therapy

bone metastases 653

hyperthyroidism, patient satisfaction (Letter) 795 thyroid tumours, remnant ablation and 1311 dose 765

Radiotherapy

stereotactic conformal, and pituitary adenomas 695

Raloxifene

reduction of atherosclerosis 225

Renin

IGF-I and body water homeostasis 181

Rhinorrhoea, CSF

in invasive prolactinoma 43

Scintigraphy

cardiac performance in GHD patients 447 pituitary 437

thyroid suppression test 471

Screening

diabetes in obese women (Letter) 248 for inherited endocrine neoplasia syndromes (Review) 127

Sexual dimorphism

cortisol metabolism 61

Short stature

combined pituitary function test 727

(Commentary) 679

GH receptor and 463

IGF-1 reference values and diagnosis of GHD 735

Sialic acid specific lectin-immunoassay

hCG glycoforms 499

Sildenafil

non-surgical management of erectile dysfunction (Review) 253

Sleep

circadian rhythm of cortisol in preterm infants 423

Smoking

IL-1 receptor antagonist in Graves' ophthalmopathy 647

Sodium

hyponatraemia (Review) 667

IGF-I and body water homeostasis 181

Somatostatin

sst2A mutations in pituitary adenomas 35

Spironolactone

long-term therapy in hirsutism 587

Steroid 5a-reductase 2 deficiency

missense mutations 383

Stress response

leptin in 107

Synacthen test

in chronic fatigue syndrome (Letters) 797, 798

Tamoxifen

effect on GHRH-induced GH secretion 681

Testosterone

IGFBP-1 and leptin 493

non-surgical management of erectile dysfunction

(Review) 253

Thyroid

suppression test 471

volume in normal adults 273

Thyroid tumours

FHIT and TSG101 in 749

genetic immunotherapy in rat model of carcinoma 687

remnant ablation and 1311 dose 765

thyroperoxidase immunostaining of nodules (Letter) 797

treatment of bone metastases 653

Thyrotoxicosis

in adult Melanesians 261

Thyroxine

hypothryoidism and hypogonadism in men 197

in thyroid suppression test 471

TRH

combined pituitary function test in children 727

(Commentary) 679

TSH

receptor antibodies and Graves' ophthalmopathy 267

Tumour necrosis factor-a (TNF-a)

gene polymorphism in thyroid-associated

ophthalmopathy

759

Turner syndrome

blood pressure in 363, 371

GH and BMD 531

(Commentary) 529

GH therapy and carbohydrate metabolism 741

Ultrasonography

orbital, in Graves' ophthalmopathy 641

Vascular reactivity

GH replacement and (Letter) 795

Vitamin D

natural VDR genotypes and 1,25-(OH)2D3 action 211

receptor polymorphisms in type 1 diabetes 575

Von Hippel Lindau disease

screening children at risk (Review) 127

Weight gain

bone turnover in anorexia 113

Women

cardiovascular disease and PCOS 595

cortisol metabolism in PCOS 77

CRH tests after hip fracture 51

ERa polymorphism and BMD 583

GnRH antagonist in controlled ovarian

hyperstimulation 721

LH pulsatility and hyperprolactinaemic amenorrhoea 703

menstrual cycle effects on HPA response to

hypoglycaemia 781

metformin and ovarian steroidogenesis in PCOS

(Letter) 243

obese, impact of GH on protein metabolism 305

obese, screening for diabetes (Letter) 248

oral DHEA therapy in Addison's disease 775

PAI-1 in PCOS 487

polycystic ovaries in type 2 diabetes 81